# PREMIUM garage doors



America's Favorite Garage Doors®





Clopay Classic<sup>™</sup> Steel Premium garage doors featuring Intellicore® insulation technology represent the ultimate smart choice for homeowners. Clopay's Intellicore® insulation is a proprietary polyurethane foam that is injected into our Premium doors, expanding to fill the entire structure. The result is a door with incredible strength and durability. Its dense insulation also produces a quieter door, and with one of the industry's leading R-values of 18.4, it provides year-round comfort and improved energy efficiency.










# PREMIUM

Improve your home's appearance and energy efficiency with a Clopay Classic<sup>™</sup> Steel Premium insulated garage door. Available with Intellicore® polyurethane insulation or bonded polystyrene insulation in 2" or 1-3/8" thicknesses, Premium models offer exceptional insulating R-values, strength and security, as well as quiet operation and a beautiful appearance. Choose from two panel styles, multiple color options and a wide range of window options to create a door that fits your budget and enhances your home's curb appeal.


# 3-LAYER CONSTRUCTION

- Weathertight tongue-and-groove section joints help seal out wind, rain and snow.
- Replaceable vinyl bottom weatherseal in a corrosion-resistant retainer helps seal out the elements.
- 2" thick polystyrene and all Intellicore® polyurethane insulation filled doors come standard with 10-ball nylon rollers and heavy-duty 14 gauge steel hinges.
- Clopay's Safe-T-Bracket® helps prevent serious injury that could occur if the bottom bracket were removed with the garage door closed and under tension.
- Prepainted Standard White end stiles and interior steel backing create a clean, finished appearance.
- Inside/outside step plates and grip handles make doors easy and safe to operate.
- 2" thick polystyrene and all Intellicore® polyurethane insulation filled doors comply with 2015 IECC air infiltration requirement of 0.40 cfm/ft² or less (IECC, Section C402.5.2).





# DETAIL



Deep panel edging and natural embossed woodgrain texture improve appearance close-up and from the curb.

# STYLE



**Elegant Short** 

Complements homes with traditional styling. Models 9200, 9130, 4300 and 4050.



**Elegant Long** 

Ideal for ranch style homes. Models 9203, 9133, 4310 and 4053.

Doors range from 6' to 16' high and 6'2" to 20' wide. Consult your Clopay Dealer for size options.

WINDCODE® Doors are available to meet most regional wind load requirements.

Consult your local dealer for specific information.



# **COLORS**

Charcoal\*



Black\*†

- Exterior steel on standard color doors has a natural woodgrain texture.
- Doors can be painted to match the home's exterior using a high-quality latex exterior paint. Do not use oil-based paint.

Due to the printing process, colors may vary. See your Clopay Dealer for color samples.

- \*Not available on Models 4050 and 4053.
- <sup>†</sup>Additional charges apply.

# **CUSTOM PAINT OPTION**



Color Blast® finish offers more than 1,500 Sherwin-Williams® color options to complement your home. Clopay's durable two-part paint system has been thoroughly tested and is backed by a five-year warranty.



# **ULTRA-GRAIN® FINISH OPTION**







Classic Cherry Finish



Classic Walnut Finish

Due to the printing process, colors may vary. Not available on Models 4050 or 4053. Additional charges apply.



- Painted steel surface simulates a real stained door without the need of staining and the ongoing maintenance of wood.
- The oak woodgrain pattern runs horizontal along the rails and vertical along the stiles and panels for an authentic, natural look.
- Available in Medium,
   Cherry or Walnut Classic finishes that complement
   Clopay Entry Doors,
   shutters and other exterior stained wood products.
- Exterior steel surface on an Ultra-Grain<sup>®</sup> finish door has a stucco texture to create a more natural woodgrain appearance.

Model 4300, Short Elegant Panel; Shown in Ultra-Grain® Classic Cherry Finish



## **RUST-PREVENTION SYSTEM**



Steel skins are protected through a tough, layered coating system, including a hot-dipped galvanized layer, a protective metal oxide pretreatment and a bakedon primer and top coat.

# GREATER ENERGY EFFICIENCY



Thermal break\* separates the interior from the exterior skin to improve energy efficiency and comfort.

\*Thermal break is not present on Models 4050 and 4053.

## **ENVIRONMENTAL ASSURANCE**

Clopay doors are compliant with environmental laws and regulations. Clopay doors do not contain HFCs. All Clopay doors are compliant with:

- California SB 1013
- New Jersey A-5583/S-3919 Greenhouse Gas Bill
- Washington HB 1112 Hydrofluorocarbon Greenhouse Gas Emissions
- Canadian regulations amending the ozone-depleting substances and halocarbon alternatives regulations

### **WARRANTIES**








## WINDOW OPTIONS

Our windows add natural light to your garage while adding curb appeal to your home. All Clopay window frames are UV-protected and are color matched to our prefinished door colors. Window frames screw in from the inside for easy glass replacement or to change designs.

#### ARCHITECTURAL SERIES WINDOWS -

These windows are from Clopay's Architectural Series, featuring a larger viewing area and are available on select models and heights. Short windows are  $19-1/2" \times 16"$  and long windows are  $42" \times 16"$ .



#### **DECORATIVE INSERT SERIES WINDOWS -**

UV-protected cellular plastic insert designs snap into either the inside or outside of the window frame for easy cleaning or to change designs. Windows are



Windows are available single pane or insulated in clear, frosted, obscure and rain designs. Clear acrylic also available.



Short windows not available on long panel doors.

- Panel emboss may not align with windows due to size difference. Some size limitations apply.
- †Shown with clear glass. Acrylic and obscure glass optional. <sup>‡</sup>Sunset windows not available on Ultra-Grain® finish doors.

Additional charges for optional glass apply.

Acrylic windows require special cleaning. Never use products that contain ammonia or petroleum products to clean acrylic. Please visit <a href="https://www.clopaydoor.com/acrylic">www.clopaydoor.com/acrylic</a> for complete details.



Visit clopaydoor.com or call 1-800-2CLOPAY (225-6729) for more information on Clopay, America's Favorite Garage Doors.



RSDR-PREM3LAYERSS-13 REV1122



















DESIGN YOUR DOOR OPEN CAMERA AND POINT!

# BRIDGEPORT STEEL garage doors 3-LAYER CONSTRUCTION





# intellicere® insulation technology

Clopay Bridgeport<sup>™</sup> Steel garage doors featuring Intellicore<sup>®</sup> insulation technology represent the ultimate smart choice for homeowners. Clopay's Intellicore<sup>®</sup> insulation is a proprietary polyurethane foam that is injected into our Bridgeport<sup>™</sup> Steel doors, expanding to fill the entire structure. The result is a door with incredible strength and durability. Its dense insulation also produces a quieter door, and with one of the industry's leading R-values of 18.4, it provides year-round comfort and improved energy efficiency.









# BRIDGEPORT™ STEEL garage doors

Bridgeport™ Steel garage doors combine the traditional symmetry of wood stile and rail door designs with the proven durability of Clopay's three-layer, steel construction. This provides exceptional strength and energy efficiency as well as quiet operation. The 2" or 1-3/8" thickness of Intellicore® polyurethane insulation with a thermal break makes these doors heat and cold resistant while the tongue-and-groove joint helps seal out wind, rain and snow. Available in narrow and extended recessed panel designs with multiple window options, three-layer Bridgeport™ Steel garage doors are virtually maintenance-free making the beautiful look a lasting impression.

# 3-LAYER CONSTRUCTION

- Tongue-and-groove section joints help seal out wind, rain and snow.
- Replaceable vinyl bottom weatherseal in a corrosion-resistant retainer helps seal out the elements.
- 2" and 1-3/8" Intellicore® polyurethane insulation filled doors come standard with 10-ball nylon rollers and heavy-duty 14 gauge steel hinges.
- Prepainted Standard White end stiles and interior steel backing create a clean, finished appearance.
- 2" and 1-3/8" Intellicore® polyurethane insulation filled doors comply with 2015 IECC air infiltration requirement of 0.40 cfm/ft² or less (IECC, Section C402.5.2).



& BD2NU & BD2EU MODELS



18.4

**BD1NU & BD1EU** MODELS



12.9



# DETAIL



A true recessed stamp replicates the timeless look of a rail and stile built wood door.

# STYLE



#### Narrow Models BD1NU and BD2NU.



Extended
Models BD1EU and BD2EU.



### **COLORS**



- Exterior steel on solid colors has a natural woodgrain texture.
- Doors can be painted to match the home's exterior using a high-quality latex exterior paint.
   Do not use oil-based paint.
- \*Additional charges apply.

  Due to the printing process, colors may vary.

## **CUSTOM PAINT OPTION**



Color Blast® finish offers more than 1,500 Sherwin-Williams® color options to complement your home. Clopay's durable two-part paint system has been thoroughly tested and is backed by a five-year warranty.

# **ULTRA-GRAIN® FINISH OPTION**



Ultra-Grain® Oak Medium Finish



Ultra-Grain® Oak Dark Finish



Ultra-Grain® Oak Walnut Finish



Ultra-Grain® Oak Slate Finish

- Finished steel surface simulates a real stained door without the need of staining and the ongoing maintenance of wood.
- Oak woodgrain pattern runs horizontal along the rails and vertical along the stiles and panels for an authentic, natural look.
- Available in Medium, Dark, Walnut or Slate finishes that complement Clopay Entry Doors, shutters and other exterior stained wood products.
- Exterior steel surface on an Ultra-Grain® finish door has a stucco texture to create a more natural woodgrain appearance.
- Window frames, grilles and inserts are color matched to coordinate with the Ultra-Grain® finish patterns. All window options are available.

Additional charges apply.

### NARROW PANEL WINDOW AND TOP SECTION OPTIONS

Doors range from 6'0" to 16'0" high and 7'8" to 20'2" wide. Consult your Clopay Dealer for size options. 10'6"-12'0' Illustrations simplified for clarity 9'0"-10'0" HEIGHTS **MODELS** BD1NU AND BD2NU WIDTHS 7'8"-11'4" 11'6"-14'8" 14'10"-19'0" 19'2"-20'2" 7'8"-11'4" 7'8"-11'4" Extended Solid Top ARCH1 Vertical Grille on ARCH1 Plain Short Grille on ARCH1 Plain Long 441 No. 441 No. ----REC12 ARCH2 REC14 Vertical Grille on ARCH2 SQ22 Grille on ARCH2 SQ24 ARCH3 Trenton® Short† Vertical Grille on ARCH3 Trenton® Long† Grille on ARCH3 808000 800000 Clayton™ Short† Kristin® Short† Kristin® Long† Clayton™ Long<sup>†</sup> Wrought Iron Short\*1 Wrought Iron Arch\*† \*\* \*\* \*\* \*\* ഞ്ഞ് ഞ്ഞ് රන්ගේ රන්ගේ රන්ගේ Wrought Iron Long\*† FE 34 FE 34 FE 34 FE 34 FEE1 FEE1

<sup>\*</sup>Acrylic

<sup>†</sup>Complements Clopay Entry Door glass.

### EXTENDED PANEL WINDOW AND TOP SECTION OPTIONS

Doors range from 6'0" to 16'0" high and 7'8" to 20'2" wide. Consult your Clopay Dealer for size options. 10'6"-12'0" Illustrations simplified for clarity 9'0"-10'0" HEIGHTS **MODELS BD1EU AND BD2EU** WIDTHS 7'8"-11'4" 11'6"-14'8' 14'10"-19'0" 19'2"-20'2' 7'8"-11'4" 7'8"-11'4" ARCH1 Narrow Solid Top Vertical Grille on ARCH1 Plain Short Grille on ARCH1 Plain Long ARCH2 REC12 Vertical Grille REC14 on ARCH2 Grille on ARCH2 SQ22 ARCH3 SQ24 Vertical Grille Trenton® Short† HHE HHE THE THE BER 688 808 800 800 880 880 688 on ARCH3 Grille on ARCH3 Trenton® Long† 000000 00000 000000 000000 000000 000000 Clayton™ Short† Kristin® Short† (\$) (\$) (\$) Clayton™ Long<sup>†</sup> Kristin® Long† **480** dip dip Wrought Iron Arch\*1 566 करूं करूं करूं करूं Wrought Iron Short\*† \*\* \*\* \*\* 88 88 88 88 88 88 88 Wrought Iron Long\*† FE B1 FE B1 FEET FEET FEET FEET

<sup>\*</sup>Acrylic

<sup>&</sup>lt;sup>†</sup>Complements Clopay Entry Door glass.

# Windows in Detail















ARCH2 























Clayton™ Long\*



Wrought Iron Short\* 

ACRYLIC -





Wrought Iron Arch

Acrylic windows require special cleaning. Never use products that contain ammonia or petroleum products to clean acrylic. Please visit www.clopaydoor.com/acrylic for complete details.

\*Complements Clopay Entry Door glass. Long and short windows may be used in any Bridgeport 3-layer model. Double-strength glass is standard. Optional obscure, 3/4" insulated and 3/4" insulated obscure glass is available on all Bridgeport 3-layer models. Additional charges for optional glass apply.

Windows are available single pane or insulated in clear, frosted, seeded, obscure and rain designs. Clear acrylic also available.





RFC12

SQ22

RFC14







Seeded


# Additional Features



Large authentic arch window designs. Window frames, grilles and inserts are color matched to coordinate with the Ultra-Grain® finish patterns.



All Intellicore® polyurethane insulated doors come standard with 10-ball nylon rollers and heavy-duty 14 gauge steel hinges.



Hot-dipped galvanized steel interior and exterior skins with a baked-on primer and top coat help ensure a virtually maintenance-free door with long-lasting beauty.

- See your Clopay Dealer for WINDCode® door availability.
- For more information please visit www.clopaydoor.com or try a design on your home by visiting: www.clopaydoor.com/door-imagination-system

# Environmental Assurance

Clopay doors are compliant with environmental laws and regulations. Clopay doors do not contain HFCs. All Clopay doors are compliant with:

- California SB 1013
- New Jersey A-5583/S-3919 Greenhouse Gas Bill
- Washington HB 1112 Hydrofluorocarbon Greenhouse Gas Emissions
- Canadian regulations amending the ozone-depleting substances and halocarbon alternatives regulations

# Decorative Hardware

#### STANDARD



Doors come standard with color-matched lift handles.

#### **OPTIONAL**



Note: Decorative hardware options vary based on door widths Standard hardware is not provided if a lock is chosen. Some odd size door widths may allow only for the installation of a single handle. See your Clopay Dealer for details.

L-Keylocks

Operable T-Keylock

> Escutcheon Plates













† Aluminum construction

Colonial Lift

Handles<sup>†</sup>

\*Door may not open properly if installed near the top depending on opening dimensions and lift type. See your Clopay Dealer for more details.

# Warranties





LIMITED 3YR WARRANTY



Visit clopaydoor.com or call 1-800-2CLOPAY (225-6729) for more information on Clopay, America's Favorite Garage Doors.



















© 2022 Clopay Corporation. All rights reserved. RSDR-BRIDGEPORT3LAYERSS-20 REV1122

imagine DESIGN YOUR DOOR

OPEN CAMERA

# ULTRA-GRAIN® finish option





### THE BEAUTY OF STAINED WOOD WITHOUT THE UPKEEP

Clopay's Ultra-Grain® finish delivers the best of both worlds: the realistic look of natural wood with the low maintenance and energy efficiency benefits of insulated steel. But unlike real wood, it's UV-resistant and impervious to moisture, so it won't fade, rot, split, shrink or crack, saving you and the environment material, energy and resources necessary to maintain or replace door components.







# **FEATURES**

- The finished steel surface simulates a real stained door without the hassles of staining and the ongoing maintenance of wood.
- For Gallery® Steel, Bridgeport™ Steel and Classic™ Steel doors, the oak woodgrain pattern runs horizontal along the rails and vertical along the stiles and panels for an authentic, natural look, while on the Canyon Ridge® and Modern Steel™ doors, the woodgrain runs uni-directional for an authentic, architecturally accurate look.
- Available in Walnut, Dark, Cherry, Medium and Slate Finishes that complement entry doors, shutters and other exterior stained wood products.
- The exterior surface texture complements the woodgrain pattern being used. For Gallery® Steel 3-Layer, Bridgeport™ Steel 3-Layer and Classic™ Steel Premium doors, a stucco texture accentuates the bi-directional pattern.
- For Gallery® Steel 1 & 2-Layer, Bridgeport™ Steel 1 & 2-Layer, Canyon Ridge® and Modern Steel™ doors, a woodgrain surface texture helps to make the door appear more true to life.
- Available for select WINDCODE® applications.



Window frames, grilles and inserts are color matched to coordinate with each finish. All window options are available.

# FINISHES

CANYON RIDGE® CARRIAGE HOUSE 4-LAYER AND CANYON RIDGE® LOUVER\* ULTRA-GRAIN® CYPRESS FINISHES







Walnut Finish

Medium Finish

Slate Finish

GALLERY® STEEL 3-LAYER AND BRIDGEPORT™ STEEL 3-LAYER ULTRA-GRAIN® OAK FINISHES









Walnut Finish

Dark Finish

Medium Finish

Slate Finish

GALLERY® STEEL 1 & 2-LAYER AND BRIDGEPORT™ STEEL 1 & 2-LAYER **ULTRA-GRAIN® OAK FINISHES** 





Walnut Finish

Slate Finish

MODERN STEEL™ ULTRA-GRAIN® CYPRESS FINISHES\*









Cherry Finish

Medium Finish

CLASSIC™ STEEL PREMIUM ULTRA-GRAIN® CLASSIC FINISHES\*







Walnut Finish

Cherry Finish

Medium Finish

\*Available on select models. Due to the printing process, colors may vary. Please see your Clopay Dealer for actual color sample.



MADE IN USA

Visit clopaydoor.com or call 1-800-2CLOPAY (225-6729) for more information on Clopay, America's Favorite Garage Doors.

Follow us on













© 2022 Clopay Corporation. All rights reserved.

RSDR-ULTRAGRAIN-08 REV0622

