
MODERN STEEL* garage doors



America's Favorite Garage Doors®



MODERN STEEL™ garage doors

Modern Steel[™] garage doors complement contemporary and mid-century modern home styles. Doors are available with or without windows and with or without grooves in the panels. All are available in multiple paint, Ultra-Grain[®] and Lustra[™] finishes to create the perfect look for your home.






AVAILABLE WITH





year-round comfort


QUIETER





Enhanced strength resists everyday wear and tear

MODEL AVAILABILITY



| DOOF | R DE | ESIC | SME | 5 | 3-LAYER | | | | 2-LAYER | 1-LAYER |
|--|-------------------|-------------|---------------|-----------------|---|---|---|---------------------------------|---|---------------------------------------|
| Door design examples shown at 9' wide × 8' high Available window options listed below model number (See back cover for examples of window options) | | | | nh ber 5) | 2" Polyurethane | 1-3/8" Polyurethane | 2" Bonded Polystyrene | 1-3/8" Bonded Polystyrene | 1-5/16" Polystyrene | Non-Insulated |
| | | | | TEXTURE | 18.4 R-value | 12.9 R-value | 9.0 R-value | 6.5 R-value | 6.3 R-value | |
| MOE | DERN | FLUS | H | | | | onstructed using 24' | ', 21" and 18" sectio | n heights | |
| | | | | | 9202 | 9132 | 4302 | 4132 | | |
| Solid | Winc | dow Secti | ons | Woodgrain | Contemporary Windows | Contemporary Windows | Contemporary Windows | Contemporary Windows | | |
| МОГ | FRN | FLUS | Н | , J | | Door | constructed using 21 | ı I" and 18" section he | eiahts | |
| | | | | | 9201 | 9131 | 4301 | 4051 | T42F (24 Gauge Steel) | T40F 4F |
| Solid | Winc | dow Secti | ons | Woodgrain | Contemporary and Decorative Windows | Contemporary and Decorative Windows | Contemporary and Decorative Windows | Decorative Windows | Decorative Windows | (24 Gauge Steel) Decorative Windows |
| MODERN FLUSH | | | | | | | | 21" and 18" section | heiahts | |
| | | | | | 9208 | 9138 | 4308 | 4138 | | |
| | | porary W | indows | Stucco*† | Contemporary and Slim Windows | Contemporary Windows | Contemporary and Slim Windows | Contemporary Windows | | |
| MODERN GROOVED Door constructed using 24", 21" and 18" section heights | | | | | | | | | | |
| Solid | Winc | | ons | Stucco* | 9205 Contemporary Windows | | 4305 Contemporary Windows | | | |
| MODE | | | | Ottaboo | - | Door | constructed using 24 | ı 1" and 21" section he | eights | |
| | | | | | 9209 | 9139 | 4309 | | | |
| | Conton | n a ra ru W | indawa | Stucco*† | Contemporary and Slim Windows | Contemporary Windows | Contemporary and Slim Windows | | | |
| Solid | Content | porary W | IIIdows | Otabbo | | | | | | |
| COLOR AVAILABILITY | Standard White | Almond | Desert Tan | Sandtone Bron | ze Chocolate Brown | Hunter Green Gray Ch | narcoal Black Black | | Ultra-Grain® Ultra-Grain® Cypress Cypress Medium Cherry | Ultra-Grain® Cypress Walnut Slate |
| 9202, 9205 | • | • | • | | | • | | | | |
| 9208, 9209 | • | • | • | | | | | | | |
| 9201 9132, 9138, | • | • | • | | | | | | | |
| 9139 | • | • | • | | | • | | | | • • |
| 9131 | • | • | • | | | | | | | |
| 4302, 4305, 4308, 4309 | • | • | • | | | • | | | | |
| 4301 | | • | | | | | | | | |
| 4132 | • | • | • | | | | | | | |
| 4051 | • | • | • | | • | | | | | |
| 4138 T42F, T40F | • | • | • | | | | | | | |
| 142F, 140F 4F | • | : | : | : | • | | | | | |
| 0 1 1 1 1 1 | | | | | 4 TDC 100 F | | | | | |

Calculated door section R-value is in accordance with DASMA TDS-163. For more information about color options see page 4.
*Exterior steel surface on Ultra-Grain® finish doors has a woodgrain texture on Modern Steel™ garage doors.

†Exterior steel surface on a Lustra™ finish door has a smooth texture on Modern Steel™ garage doors.

STANDARD COLORS



- Exterior steel on standard color doors will have either a stucco or woodgrain texture depending upon model chosen (see chart on page 3 for details).
- Doors can be painted to match the home's exterior using a high-quality latex exterior paint. Do not use oil-based paint.
 - *Additional charges apply.

Due to the printing process, colors may vary. See your Clopay Dealer for color samples. Not all colors available on all models. See previous page for complete color availability.

ULTRA-GRAIN® FINISH









Cypress

Cypress Medium Finish Cherry Finish Walnut Finish

Cypress

Cypress Slate Finish

- Painted steel surface simulates a stained door without the need of staining and the ongoing maintenance of wood.
- Woodgrain runs horizontal for an authentic, natural look.
- Available in Cypress Medium, Cherry, Walnut or Slate finishes that complement Clopay Entry Doors, shutters and other exterior stained wood products.
- Exterior steel surface on all Modern Steel[™] Ultra-Grain[®] finish doors have a woodgrain texture to create a more natural appearance.
- Window frames, grilles and inserts are a solid color to coordinate with Ultra-Grain® finishes.

Due to the printing process, colors may vary. Not all colors available on all models. See previous page for complete color availability. Additional charges apply.

CUSTOM PAINT OPTION



Color Blast® finish offers more than 1,500 Sherwin-Williams® color options to complement your home. This durable two-part paint system has been thoroughly tested and is backed by a five-year warranty.

I USTRA™ FINISH







Black

Charcoal

Silver

Lustra™ finished garage doors feature a Black or Charcoal matte look, while Silver has a brushed metallic look. Door exterior has a smooth textured steel surface.

- These modern doors feature thick 24 gauge surface steel.
- Lustra[™] doors were designed to be paired with narrow modern windows for a truly modern look.
- Lustra[™] finished doors cannot be painted.

ADDITIONAL FEATURES


- Tongue-and-groove section joints help seal out wind, rain and snow.
- Replaceable vinyl bottom weatherseal in a corrosion-resistant retainer helps seal out the elements.
- Clopay's Safe-T-Bracket® helps prevent serious injury that could occur if the bottom bracket were removed with the garage door closed and under tension.
- Color-matched exterior step plate/lift handles are durable and allow for safe opening and closing of your door.
- 2" thick polystyrene doors and all Intellicore® insulation doors comply with 2015 IECC air infiltration requirement of 0.40 cfm/ft² or less (IECC, Section C402.5.2).
- See your Clopay Dealer for WINDCODE® door availability.

For additional information about how to care for and maintain your door, visit: www.clopaydoor.com/residential/support

HEAVY-DUTY HARDWARE



2" thick polystyrene doors and all Intellicore® insulation doors come standard with 10-ball nylon rollers and heavy-duty 14 gauge steel hinges.



RUST-PREVENTION SYSTEM



Steel skins are protected through a tough, layered coating system, including a hot-dipped galvanized layer, a protective metal oxide pretreatment and a baked-on primer and top coat.

GREATER ENERGY EFFICIENCY



Thermal break* separates the interior from the exterior skin to improve energy efficiency and comfort.

*Thermal break is not present on 4051, 2-layer and 1-layer models.

ENVIRONMENTAL ASSURANCE


Clopay doors are compliant with environmental laws and regulations. Clopay doors do not contain HFCs. All Clopay doors are compliant with:

- California SB 1013
- New Jersey A-5583/S-3919 Greenhouse Gas Bill
- Washington HB 1112 Hydrofluorocarbon Greenhouse Gas Emissions
- Canadian regulations amending the ozone-depleting substances and halocarbon alternatives regulations

WARRANTIES




LIMITED 10 YR WARRANTY LIMITED 3 YR WARRANTY




CONTEMPORARY WINDOW ORIENTATION

When ordering contemporary window configurations please reference the examples provided to describe your desired window positions. **Note: Window configurations are described from inside the garage looking out.**

Example: Windows down right side (from inside garage looking out)



View from Inside Garage



View from Outside Garage

POPULAR CONTEMPORARY WINDOW CONFIGURATIONS

The windows shown below apply to Models 9208, 9209, 9138, 9139, 4308, 4309 and 4138. These doors utilize 24" and 21" section heights, allowing for the window options shown.

Contemporary window configurations are available in many design options and include short, long or slim windows in each section, down one side or in all sections. For doors with multiple window sections, the window locations must be the same in every section.

The images below are illustrated from outside the garage. Important Note: The ordering codes listed below are from the inside of the garage looking out, as explained on the previous page. See your Clopay dealer for more details.

The illustrations shown below show window (glazed) and/or no window (solid) locations.

SOL=Solid (no window) location GL=Glazed (window) location

Sections are numbered from the floor up to the top of the door.

For doors with glazing (windows) in the sections, all glass will be tempered.

Glazing options include:





Clear

Obscure





Narrow Reed

Frosted

Other glass types and custom glass are available.


Slim window designs available only with insulated clear tempered and insulated frosted tempered glazing options.

See your Clopay Dealer for details.

SHORT WINDOW CONFIGURATIONS (Viewed from outside)




SOL-SOL-SOL-GL Sections: 1, 2, 3, 4



SOL-SOL-SOL-SOL-SOL-GL-GL Sections: 1, 2, 3, 4



SOL-GL Sections: 1, 2, 3, 4



SOL-SOL-SOL-GL Sections: 1, 2, 3, 4




SLIM WINDOW

CONFIGURATIONS

(Viewed from outside)


SOL-GL Sections: 1, 2, 3, 4



SOL-SOL-SOL-GL Sections: 1, 2, 3, 4



GL-SOL-SOL-SOL Sections: 1, 2, 3, 4



GL-GL-SOL-SOL-SOL-SOL-SOL-SOL Sections: 1, 2, 3, 4




LONG WINDOW

CONFIGURATIONS

(Viewed from outside)


GL-SOL Sections: 1, 2, 3, 4



GL-SOL-SOL-SOL Sections: 1, 2, 3, 4



GL-SOL Sections: 1, 2, 3, 4



GL-SOL-SOL-SOL Sections: 1, 2, 3, 4



GL-SOL-SOL-GL Sections: 3, 4



GL-GL-SOL-SOL-SOL-GL-GL Sections: 3, 4



GL-GL Sections: 3, 4



GL-GL-GL-GL Sections: 3, 4




GL-GL Sections: 3, 4



GL-GL-GL-GL Sections: 3, 4



GL-GL-GL-GL Sections: 1, 2, 3, 4



GL-GL-GL-GL-GL-GL-GL Sections: 1, 2, 3, 4




GL-GL Sections: 1, 2, 3, 4



GL-GL-GL-GL Sections: 1, 2, 3, 4



GL-GL Sections: 1, 2, 3, 4



GL-GL-GL-GL Sections: 1, 2, 3, 4

WINDOW OPTIONS

Our windows add natural light to your garage while adding curb appeal to your home. All Clopay window frames are UV-protected and are color matched to our prefinished door colors. Window frames screw in from the inside for easy glass replacement or to change designs.

CONTEMPORARY/ARCHITECTURAL SERIES WINDOWS -

These windows are from Clopay's Contemporary/Architectural Series, featuring a larger viewing area and are available on select models and heights. Short windows are 19-1/2" × 16" and long windows are 42" × 16".



CONTEMPORARY SLIM WINDOWS

Contemporary Slim windows are designed to further enhance the clean aesthetic common to modern architecture. Contemporary Slim windows are 37" × 8" with aluminum frames available in anodized silver or powder coated black.




Windows are available insulated in both clear and frosted tempered glass.



DECORATIVE INSERT SERIES WINDOWS -

UV-protected cellular plastic insert designs snap into either the inside or outside of the window frame for easy cleaning or to change designs. Windows are offered in single strength, double strength, acrylic, obscure or insulated glass. Short windows are 19-1/2" × 12" and long windows are 40-1/2" × 12".



† Shown with clear glass.

‡Sunset windows not available on Ultra-Grain® finish doors.

Additional charges for optional glass apply.

Acrylic windows require special cleaning. Never use products that contain ammonia or petroleum products to clean acrylic. Please visit www.clopaydoor.com/acrylic for complete details.

Windows are available single pane or insulated in clear, frosted, obscure and rain designs. Clear acrylic also available.





Visit clopaydoor.com or call 1-800-2CLOPAY (225-6729) for more information on Clopay, America's Favorite Garage Doors.

Follow us on



RSDR-MODERNSTEELSS-15_REV1122

















DESIGN YOUR DOOR OPEN CAMERA AND POINT!

imagine

AVANTE® garage doors



America's Favorite Garage Doors®

ALUMINUM AND GLASS CONSTRUCTION



Avante® garage doors are designed with architects, contractors and homeowners in mind. With a sleek aesthetic and section seal, these doors are the perfect choice to modernize any home. Not only can they transform garages, they can also be used as an indoor loft partition or as versatile solarium doors. Many glass options are available to control the degree of light transmission and privacy.





Frame Detail



Section Joint Seal



Reinforcing Fin* (Double car doors)

Model AXU

Model AX

STYLE AND CONSTRUCTION

- Aluminum frame provides a virtually maintenance-free, long-lasting door.
- Intellicore® polyurethane insulated rails and stiles. (Model AXU)
- R-value 3.8/U-factor 0.86.
 (Model AXU when glazed with clear insulated glass)
- Many glass and panel options available.
- Section joint seal helps keep out air and water.
- Integral reinforcing fin provides increased strength and longevity. (Available on double car models)
- Heavy-duty steel ball bearing rollers with nylon tires provide quiet operation.
 - *Doors wider than 14' include built-in reinforcing fin. Standard doors 12' and under do not use built-in reinforcing fin. Usage on widths 12'2" to 14' depend upon glass weight. WINDCODE® doors may vary. Contact your Clopay Dealer for details. Calculated door section R-value is in accordance with DASMA TDS-163.



FRAME/SOLID PANEL COLOR OPTIONS

Clear Aluminum (Anodized) Standard White (Painted)

Bronze (Painted)

Chocolate (Painted)



Black (Anodized)

Dark Bronze (Anodized) Due to the anodizing process, color variation may occur. The use of "Bronze (Painted)" is recommended for a more consistent bronze finish color.

CUSTOM PAINT OPTIONS

Custom colors make Avante® garage doors personal. Choose a Color Blast® finish or RAL Powder Coating to create the perfect door. The only limit is your imagination! See your Clopay Dealer for details.








Model AXU not available with RAL Powder Coat finish.



DOOR DESIGNS



HARDWARE

Attractive color-matched aluminum grip handles.

Available in all standard color options.

WARRANTIES



LIMITED **3YR** WARRANTY

GLASS/PANEL OPTIONS



Clear Glass*





Gray Tinted Glass* Bronze Tinted Glass*



Mirrored Glass*



Obscure Glass*



Clear Laminate Impact Rated Glass¹



White Laminate Glass



Gray Acrylic



Black Laminate Glass



Bronze Acrylic



Frosted Glass* (Satin Etched)



White Acrylic



Frosted Acrylic



Black Acrylic



Clear Acrylic

Clear Polygal™




Bronze Polygal™



Clear Anodized (Color-matched to frame)





Acrylic windows require special cleaning. Never use products that contain ammonia or petroleum products to clean acrylic. Please visit www.clopaydoor.com/acrylic for complete details.

- Glass available in single pane or insulated (laminated and mirrored glass not available insulated).
- Panels can be aluminum to match the aluminum frame. Glass/acrylic panels may be combined with aluminum panels. Custom glass and colors available.



Doors available to meet many regional wind load requirements.

WindCode® doors over 16' wide may have reinforcement hardware that shows through the glass panels of the door.



See your Clopay Dealer for details. Or for more information scan this code.

PANEL CONFIGURATIONS (Examples of common sizes shown below)


6'6" TO 7'0" HIGH DOORS

3 Panel

9'3" to 13'2" Wide

2 Panel

Up to 9'2" Wide



4 Panel

13'3" to 16'2" Wide





Visit clopaydoor.com or call 1-800-2CLOPAY (225-6729) for more information on Clopay, America's Favorite Garage Doors.

Follow us on



















